

**Plants** usually forming tufts, glossy green, yellowish-green or golden. **Stems** initially short creeping then ascending to erect; central strand absent. **Leaves** erect to erect-spreading, narrowly to broadly ovate to oblong-lanceolate, concave, apex long acuminate, base usually somewhat auriculate; margins distally enrolled, entire to slightly serrulate; laminal cells smooth (rarely unipapillose) upper and median cells linear, porose or not; basal cells shorter, strongly porose; alar cells differentiated, obliquely angled (45°), oblong-rectangular, inflated, thick-walled, usually golden-yellow or -brown. **Autoicous. Perichaetia** lateral. **Setae** elongate, slender and wiry. **Capsules** inclined to erect, urn ovoid, mouth flared when deoperculate; exothecial cells collenchymatous; stomata at urn base, superficial; opercula long-rostrate, oblique; peristome double, exostome finely cross-striate, distally papillose, weakly to strongly furrowed; endostome basal membrane high, segments 16, keeled and perforate. **Calyptrae** cucullate, smooth and naked. **Spores** spherical, lightly to densely papillose.

**Plantas** generalmente formando manojos, verdes brillantes, verde-amarillentas o doradas. **Tallos** inicialmente corto reptantes luego ascendentes a erectos; sin cordón central. **Hojas** erectas a erecto-extendidas, angostamente a anchamente ovadas a oblongo-lanceoladas, cóncavas, ápices largo acuminados, base generalmente algo auriculada; márgenes distalmente enrollados, enteros a escasamente serrulados; células de la lámina lisas (rara vez unipapilosas) células superiores y medias lineales, poroso o no; células basal cortas, marcadamente porosas; células alares diferenciadas, acomodadas oblicuamente en ángulo (45°), oblongo-rectangulares, infladas, con paredes gruesas, generalmente amarillo-doradas o -marrones. **Autoicas. Periquecios** laterales. **Setas** alargadas, delgadas y alambriadas. **Cápsulas** inclinadas a erectas, urna ovoide, boca {flared} cuando está desoperculadas; células exoteciales colenquimatosas, estomas en la base de la urna, superficiales; opérculo largo-rostrado, oblicuo; peristoma doble, exostoma con estrías finamente cruzadas, distalmente papiloso, débilmente a marcadamente acanalado; membrana basal del endostoma alta, segmentos 16, carinados y perforados. **Caliptra** cuculada, lisa y desnuda. **Esporas** esféricas, ligera a densamente papilosas.